



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

1 of 3

ICAL ID: 20231226-110  
 Sample: CA231227-008-082  
 Hop The Wave: Raspberry Iced Tea  
 Strain: Hop The Wave: Raspberry Iced Tea  
 Category: Ingestible  
 Type: Beverage

Hop The Wave Brewing  
 Lic. #  
 SD  
 SD, CA 92121  
 Lic. #

Batch#: 120324  
 Batch Size Collected:  
 Total Batch Size:  
 Collected: 12/29/2023; Received: 12/29/2023  
 Completed: 12/29/2023

Moisture NT	$\Delta 9$ -THC 4.84 mg/unit	CBD 5.49 mg/unit	Total Cannabinoids 10.32 mg/unit	Total Terpenes NT
Water Activity NT				

Summary	SOP Used	Date Tested	Pass
Batch	POT-PREP-002	12/28/2023	Complete
Cannabinoids	RS-PREP-001	12/28/2023	Pass
Residual Solvents	HM-PREP-001	12/27/2023	Pass
Heavy Metals	PESTMICO-LC-PREP-001 /	12/28/2023	Pass
Pesticides	PEST-GC-PREP-001		



Scan to see results

## Cannabinoid Profile

1 Unit = can, 363.43 g. 1 mL = 1 g.

Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/mL	mg/unit	Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/mL	mg/unit
THCa	0.0128	0.0043	ND	ND	ND	ND	CBGa	0.0046	0.0015	ND	ND	ND	ND
$\Delta 9$ -THC	0.0046	0.0010	0.001	0.01	0.01	4.84	CBG	0.0046	0.0005	ND	ND	ND	ND
$\Delta 8$ -THC	0.0046	0.0014	ND	ND	ND	ND	CBN	0.0046	0.0005	ND	ND	ND	ND
THCV	0.0046	0.0006	ND	ND	ND	ND	<b>Total THC</b>			<b>0.00</b>	<b>0.01</b>	<b>0.01</b>	<b>4.84</b>
CBDa	0.0049	0.0016	ND	ND	ND	ND	<b>Total CBD</b>			<b>0.00</b>	<b>0.02</b>	<b>0.02</b>	<b>5.49</b>
CBD	0.0046	0.0008	0.002	0.02	0.02	5.49	<b>Total</b>			<b>0.00</b>	<b>0.03</b>	<b>0.03</b>	<b>10.32</b>
CBDV	0.0046	0.0004	ND	ND	ND	ND							
CBC	0.0076	0.0025	ND	ND	ND	ND							

Total THC=THCa \* 0.877 +  $\Delta 9$ -THC +  $\Delta 8$ -THC +  $\Delta 8$ -THC; Total CBD = CBDa \* 0.877 + CBD. LOD= Limit of Detection, LOQ= Limit of Quantitation, ND= Not Detected, NR= Not Reported. Potency is reported on a dry weight basis. Instrumentation and analysis SOPs used: Cannabinoids:UHPLC-DAD(POT-INST-005),Moisture:Moisture Analyzer(MOISTURE-001),Water Activity:Water Activity Meter(WA-INST-002), Foreign Material:Microscope(FOREIGN-001). Density measured at 19-24 °C, Water Activity measured at 0-90% RH. All QA submitted by the client, All CA State Compliance sampled using SAMPL-SOP-001.

## Terpene Profile

Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g
---------	------------	------------	---	------	---------	------------	------------	---	------

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP TERP-INST-003.

Infinite Chemical Analysis Labs  
 8312 Miramar Mall  
 San Diego, CA  
 (858) 623-2740  
 www.infiniteCAL.com  
 Lic# C8-0000047-LIC

*Josh M Swider*  
 Josh Swider  
 Lab Director, Managing Partner  
 12/29/2023

Confident LIMS  
 All Rights Reserved  
 coa.support@confidentlims.com  
 (866) 506-5866  
 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

2 of 3

ICAL ID: 20231226-110  
Sample: CA231227-008-082  
Hop The Wave: Raspberry Iced Tea  
Strain: Hop The Wave: Raspberry Iced Tea  
Category: Ingestible  
Type: Beverage

Hop The Wave Brewing  
Lic. #  
SD  
SD, CA 92121  
Lic. #

Batch#: 120324  
Batch Size Collected:  
Total Batch Size:  
Collected: 12/29/2023; Received: 12/29/2023  
Completed: 12/29/2023

## Residual Solvent Analysis

Category 1	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status			
1,2-Dichloro-Ethane	µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g	n-Hexane	µg/g	µg/g	µg/g	µg/g			
Benzene	ND	0.264	0.088	1	Pass	Acetone	ND	51.246	0.716	5000	Pass	Isopropanol	ND	0.281	0.027	290	Pass
Chloroform	ND	0.076	0.025	1	Pass	Acetonitrile	ND	0.42	0.14	410	Pass	Methanol	ND	2.86	0.614	5000	Pass
Ethylene Oxide	ND	0.579	0.179	1	Pass	Butane	ND	4.849	0.748	5000	Pass	Pentane	ND	2.602	0.867	3000	Pass
Methylene-Chloride	ND	0.729	0.08	1	Pass	Ethanol	472.7	7.575	2.525	5000	Pass	Propane	ND	5.075	1.692	5000	Pass
Trichloroethene	ND	0.145	0.028	1	Pass	Ethyl-Acetate	ND	2.288	0.175	5000	Pass	Toluene	ND	9.709	3.236	5000	Pass
						Ethyl-Ether	ND	2.869	0.389	5000	Pass	Xylenes	ND	0.864	0.067	890	Pass
						Heptane	ND	2.859	0.496	5000	Pass						

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP RS-INST-003.

## Heavy Metal Screening

	LOQ	LOD	Limit	Status	
Arsenic	µg/g	µg/g	µg/g	µg/g	
Cadmium	ND	0.009	0.003	1.5	Pass
Lead	ND	0.002	0.001	0.5	Pass
Mercury	ND	0.004	0.001	0.5	Pass
	ND	0.014	0.005	1.5	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP HM-INST-003.

## Microbiological Screening

Limit	Result	Status
-------	--------	--------

ND=Not Detected. Analytical instrumentation used:qPCR; samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs  
8312 Miramar Mall  
San Diego, CA  
(858) 623-2740  
www.infiniteCAL.com  
Lic# C8-0000047-LIC

*Josh M Swider*

Josh Swider  
Lab Director, Managing Partner  
12/29/2023

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



# Certificate of Analysis

QA SAMPLE - INFORMATIONAL ONLY

3 of 3

ICAL ID: 20231226-110  
Sample: CA231227-008-082  
Hop The Wave: Raspberry Iced Tea  
Strain: Hop The Wave: Raspberry Iced Tea  
Category: Ingestible  
Type: Beverage

Hop The Wave Brewing  
Lic. #  
SD  
SD, CA 92121  
Lic. #

Batch#: 120324  
Batch Size Collected:  
Total Batch Size:  
Collected: 12/29/2023; Received: 12/29/2023  
Completed: 12/29/2023

## Chemical Residue Screening

Category 1	LOQ	LOD	Status	Mycotoxins	LOQ	LOD	Limit	Status
	µg/g	µg/g	µg/g					
Aldicarb	ND	0.065	0.022	Pass				
Carbofuran	ND	0.030	0.009	Pass				
Chlordane	ND	0.075	0.025	Pass				
Chlorfenapyr	ND	0.075	0.025	Pass				
Chlorpyrifos	ND	0.053	0.018	Pass				
Coumaphos	ND	0.056	0.018	Pass				
Daminozide	ND	0.079	0.026	Pass				
Dichlorvos	ND	0.067	0.022	Pass				
Dimethoate	ND	0.036	0.012	Pass				
Ethoprophos	ND	0.053	0.017	Pass				
Etofenprox	ND	0.030	0.008	Pass				
Fenoxycarb	ND	0.043	0.014	Pass				
Fipronil	ND	0.045	0.015	Pass				
Imazalil	ND	0.047	0.016	Pass				
Methiocarb	ND	0.047	0.016	Pass				
Mevinphos	ND	0.042	0.014	Pass				
Paclobutrazol	ND	0.040	0.013	Pass				
Parathion Methyl	ND	0.024	0.008	Pass				
Propoxur	ND	0.047	0.016	Pass				
Spiroxamine	ND	0.032	0.011	Pass				
Thiacloprid	ND	0.042	0.014	Pass				

Category 2	LOQ	LOD	Limit	Status	Category 2	LOQ	LOD	Limit	Status		
	µg/g	µg/g	µg/g	µg/g		µg/g	µg/g	µg/g	µg/g		
Abamectin	ND	0.030	0.010	0.3	Pass	Kresoxim Methyl	ND	0.038	0.012	1	Pass
Acephate	ND	0.050	0.016	5	Pass	Malathion	ND	0.035	0.012	5	Pass
Acequinocyl	ND	0.059	0.019	4	Pass	Metalaxyl	ND	0.031	0.010	15	Pass
Acetamiprid	ND	0.044	0.015	5	Pass	Methomyl	ND	0.048	0.016	0.1	Pass
Azoxystrobin	ND	0.029	0.010	40	Pass	Myclobutanil	ND	0.055	0.018	9	Pass
Bifentazate	ND	0.035	0.012	5	Pass	Naled	ND	0.051	0.017	0.5	Pass
Bifenthrin	ND	0.040	0.013	0.5	Pass	Oxamyl	ND	0.046	0.015	0.3	Pass
Boscalid	ND	0.060	0.020	10	Pass	Pentachloronitrobenzene	ND	0.054	0.018	0.2	Pass
Captan	ND	0.358	0.120	5	Pass	Permethrin	ND	0.030	0.008	20	Pass
Carbaryl	ND	0.049	0.016	0.5	Pass	Phosmet	ND	0.038	0.012	0.2	Pass
Chlorantraniliprole	ND	0.063	0.021	40	Pass	Piperonyl Butoxide	ND	0.030	0.008	8	Pass
Clofentezine	ND	0.039	0.013	0.5	Pass	Prallethrin	ND	0.068	0.023	0.4	Pass
Cyfluthrin	ND	0.056	0.019	1	Pass	Propiconazole	ND	0.059	0.019	20	Pass
Cypermethrin	ND	0.044	0.015	1	Pass	Pyrethrins	ND	0.030	0.004	1	Pass
Diazinon	ND	0.030	0.006	0.2	Pass	Pyridaben	ND	0.035	0.012	3	Pass
Dimethomorph	ND	0.042	0.014	20	Pass	Spinetoram	ND	0.030	0.006	3	Pass
Etoxazole	ND	0.030	0.008	1.5	Pass	Spinosad	ND	0.030	0.004	3	Pass
Fenhexamid	ND	0.039	0.013	10	Pass	Spiromesifen	ND	0.042	0.014	12	Pass
Fenpyroximate	ND	0.030	0.010	2	Pass	Spirotetramat	ND	0.041	0.013	13	Pass
Fonicamid	ND	0.081	0.027	2	Pass	Tebuconazole	ND	0.044	0.014	2	Pass
Fludioxonil	ND	0.046	0.015	30	Pass	Thiamethoxam	ND	0.055	0.018	4.5	Pass
Hexythiazox	ND	0.078	0.026	2	Pass	Trifloxystrobin	ND	0.031	0.010	30	Pass
Imidacloprid	ND	0.071	0.023	3	Pass						

### Other Analyte(s):

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less than the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs  
8312 Miramar Mall  
San Diego, CA  
(858) 623-2740  
www.infiniteCAL.com  
Lic# C8-0000047-LIC

*Josh M Swider*

Josh Swider  
Lab Director, Managing Partner  
12/29/2023

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.

## Report of Analytical Results

**Client:** D.L. Geary Brewing Co  
**Address:** 38 Evergreen Dr  
 Portland, ME 04103

**SDG:** SQ6714  
**Project:** Gyle 120323-2  
**Client PO:**  
**Report Date:** 12-DEC-23

**Lab ID:** SQ6714-1      **Client ID:** 100323-2 RASPBERRY      **Collected Date:** 04-DEC-23 14:00:00      **Received Date:** 07-DEC-23

**Sample Description:** Iced Tea Infused

**Sample Comment:**

Compound	Result	Prep. Date	Analysis Date	Prep. By	Analyst	Analysis Method
Coliforms	<10 CFUs/g	07-DEC-23 13:50:00	09-DEC-23 12:05:00	PUR	CA	AOAC 991.14
E. Coli	<10 CFUs/g	07-DEC-23 13:50:00	09-DEC-23 12:05:00	PUR	CA	AOAC 991.14
Lactobacillus	<10 CFUs/g	07-DEC-23 13:50:00	09-DEC-23 12:05:00	PUR	CA	AOAC 997.02
Listeria Species	Negative /25g	07-DEC-23 11:55:00	08-DEC-23 15:17:00	PUR	KM	AOAC 2013.10
Mold	<10 CFUs/g	07-DEC-23 13:50:00	12-DEC-23 08:55:00	PUR	CA	AOAC 997.02
Salmonella	Negative /25g	07-DEC-23 14:14:00	08-DEC-23 09:58:00	PUR	PUR	AOAC 2013.01
Staphylococcus	<10 CFUs/g	07-DEC-23 13:50:00	08-DEC-23 13:23:00	PUR	KM	AOAC 2003.07
Yeast	<10 CFUs/g	07-DEC-23 13:50:00	12-DEC-23 08:55:00	PUR	CA	AOAC 997.02
pH(Product)	3.49 pH	07-DEC-23 12:02:00	07-DEC-23 12:06:00	PUR	PUR	AOAC 994.18

This report has been electronically signed:  
 Jennifer Prescott  
 Quality Assurance Officer